



## Photocatalytic Degradation of Malachite Green over CuO/Al<sub>2</sub>O<sub>3</sub> Composite

Deepika Paliwal<sup>1\*</sup>, Hari Shankar Sharma<sup>2</sup>, Rakshit Ameta<sup>3</sup> and Bindu Kataria<sup>4</sup>

1. Research Scholar, Department of Chemistry, PAHER University, Udaipur – 313003 (Raj.) **INDIA**
2. Lecturer, Department of Chemistry, Govt. College, Kota – 324001 (Raj.) **INDIA**
3. Associate Professor, Department of Chemistry, PAHER University, Udaipur – 313003 (Raj.) **INDIA**
4. Lecturer, Department of Chemistry, S.M.B. Govt. P.G. College, Nathdwara – 313001 (Raj.) **INDIA**


Email: [somya.deepika06@gmail.com](mailto:somya.deepika06@gmail.com)

Accepted on 16<sup>th</sup> December 2017, Published online on 27<sup>th</sup> January 2018

### ABSTRACT

Waste water containing dyes emanating from textile mills is strongly coloured and it is carcinogenic in nature. In order to reduce pollution load, it is desirable to degrade the dye into nontoxic form before it is discharged into the main stream. Malachite green is used as dye material like silk, paper and leather industries. Degradation of malachite green was investigated using CuO/Al<sub>2</sub>O<sub>3</sub> composite as a semiconductor. Decolourization assay was performed by monitoring the programs of the reaction spectrophotometrically. The optimum conditions were obtained as; pH = 9, dye concentration =  $1.0 \times 10^{-5}$  M, amount of composite (CuO/Al<sub>2</sub>O<sub>3</sub>) = 0.1g and light intensity = 60.0 mWcm<sup>-2</sup> where the rate constant was found as  $2.43 \times 10^{-4}$  sec<sup>-1</sup>.

### Graphical Abstract:



**Keywords:** Photocatalysis, Malachite green, CuO/Al<sub>2</sub>O<sub>3</sub> composite.