



Synthesis and Physico-Chemical Properties of Homopolycyanurates Based on *s*-triazine Ring

Pravin J. Rajgadhi¹, Rahul B. Tailor², Vivek S. Patel³, Mohsin A. Belim²,
Vikunjana K. Akbari², Shital D. Modi⁴, Keshav C. Patel^{4*} and Paresh S. Patel⁴

1. Department of Chemistry, Narmda Science College, Zadeshwar, Bharuch, Gujarat, **INDIA**
2. Department of Chemistry, C. B. Patel Computer College and J. N. M. Patel Science College, Bharthana, Vesu, Surat, Gujarat-395 017, **INDIA**
3. Department of Chemistry, Shrimad Rajchandra Vidyapeeth, Dharampur, Valsad, Gujarat, **INDIA**
4. Department of Chemistry, Veer Narmad South Gujarat University, Udhna-Magdalla Road, Surat, Gujarat, **INDIA**


Email: tailorrahul1691@gmail.com

Accepted on 29th June, 2019

ABSTRACT

Various homopolycyanurates were synthesised by polycondensation of the diacid chloride of *N,N*-Dibenzyl-4,6-dichloro-1,3,5-triazin-2-amine with different diols such as: Bisphenol-A [BPA], Bisphenol-C [BPC], Bisphenol-S [BPS], Ethylene glycol [EG], Triethylene glycol [TEG], Propylene glycol [PG], Catechol [C], Resorcinol [R], Hydroquinone [Hq] and Phenolphthalein [Ph]. All the synthesized polycyanurates were characterized by solubility, density, viscosity measurements, IR spectra, NMR spectra and thermo gravimetric analysis [TGA]. The densities of homopolycyanurates are measured pycnometrically, the highest density is 1.798 g cm^{-3} is found for HPCBPS while lowest density is 1.322 g cm^{-3} found for HPCDM13PD. Most of the homopolycyanurates are found to stable more than $350 \text{ }^\circ\text{C}$ temperature thus it can be used for high temperature applications.

Graphical Abstract



Keywords: Homopolycyanurates, Polycondensation.